



# PRECISIONARY

## REFERENCES FOR LYMPH NODES

All of these **peer-reviewed publications** have used the Compresstome® for successful tissue slices. If you have any questions, please contact us:

[www.precisionary.com](http://www.precisionary.com)

E-mail: [info@precisionary.com](mailto:info@precisionary.com)

Phone: 617-683-0586

### References

1. Abdelaal HM, Kim HO, Wagstaff R, Sawahata R, Southern PJ, Skinner PJ. Comparison of Vibratome and Compresstome sectioning of fresh primate lymphoid and genital tissues for in situ MHC-tetramer and immunofluorescence staining. *Biol Proced Online*. 2015 Jan 7;17(1):2. PMID: 25657614; PMCID: PMC4318225.
2. Haran KP, Hajduczki A, Pampusch MS, Mwakalundwa G, Vargas-Inchaustegui DA, Rakasz EG, Connick E, Berger EA, Skinner PJ. Simian Immunodeficiency Virus (SIV)-Specific Chimeric Antigen Receptor-T Cells Engineered to Target B Cell Follicles and Suppress SIV Replication. *Front Immunol*. 2018 Mar 20;9:492. PMID: 29616024; PMCID: PMC5869724.
3. Hu KH, Eichorst JP, McGinnis CS, Patterson DM, Chow ED, Kersten K, Jameson SC, Gartner ZJ, Rao AA, Krummel MF. ZipSeq: barcoding for real-time mapping of single cell transcriptomes. *Nat Methods*. 2020 Aug;17(8):833-843. Epub 2020 Jul 6. PMID: 32632238; PMCID: PMC7891292.
4. Li S, Folkvord JM, Rakasz EG, Abdelaal HM, Wagstaff RK, Kovacs KJ, Kim HO, Sawahata R, MaWhinney S, Masopust D, Connick E, Skinner PJ. Simian Immunodeficiency Virus-Producing Cells in Follicles Are Partially Suppressed by CD8+ Cells In Vivo. *J Virol*. 2016 Nov 28;90(24):11168-11180. PMID: 27707919; PMCID: PMC5126374.
5. Li S, Mwakalundwa G, Skinner PJ. In Situ MHC-tetramer Staining and Quantitative Analysis to Determine the Location, Abundance, and Phenotype of Antigen-specific CD8 T Cells in Tissues. *J Vis Exp*. 2017 Sep 22;(127):56130. PMID: 28994787; PMCID: PMC5752327.
6. Li S, Folkvord JM, Kovacs KJ, Wagstaff RK, Mwakalundwa G, Rendahl AK, Rakasz EG, Connick E, Skinner PJ. Low levels of SIV-specific CD8+ T cells in germinal centers

characterizes acute SIV infection. PLoS Pathog. 2019 Mar 21;15(3):e1007311. PMID: 30897187; PMCID: PMC6445460.

7. Webb GM, Li S, Mwakalundwa G, Folkvord JM, Greene JM, Reed JS, Stanton JJ, Legasse AW, Hobbs T, Martin LD, Park BS, Whitney JB, Jeng EK, Wong HC, Nixon DF, Jones RB, Connick E, Skinner PJ, Sacha JB. The human IL-15 superagonist ALT-803 directs SIV-specific CD8<sup>+</sup> T cells into B-cell follicles. Blood Adv. 2018 Jan 23;2(2):76-84. PMID: 29365313; PMCID: PMC5787870.
  
8. Webb GM, Molden J, Busman-Sahay K, Abdulhaqq S, Wu HL, Weber WC, Bateman KB, Reed JS, Northrup M, Maier N, Tanaka S, Gao L, Davey B, Carpenter BL, Axthelm MK, Stanton JJ, Smedley J, Greene JM, Safrit JT, Estes JD, Skinner PJ, Sacha JB. The human IL-15 superagonist N-803 promotes migration of virus-specific CD8<sup>+</sup> T and NK cells to B cell follicles but does not reverse latency in ART-suppressed, SHIV-infected macaques. PLoS Pathog. 2020 Mar 12;16(3):e1008339. PMID: 32163523; PMCID: PMC7093032.